

**CLARK
&
BRODY**1750 K STREET, NW, SUITE 600
WASHINGTON, DC 20006
TELEPHONE: 202-835-1111
FACSIMILE: 202-835-1755**OFFICIAL****RECEIVED**
CENTRAL FAX CENTER**FACSIMILE TRANSMISSION**

TO: Examiner A. Soderquist	COMPANY: U.S. Patent and Trademark Office
FAX NUMBER: 703 8729310	PHONE NUMBER: 703-308-3989

JAN 07 2004

From: Christopher W. Brody**Date:** January 7, 2004**Total Number of Pages Including Cover Sheet:** 19**Message:** Amendment and Letter to the Draftsperson for Application No. 09/882,308**CERTIFICATION OF FACSIMILE TRANSMISSION**

I hereby certify that the attached Amendment and Letter to the Draftsperson for Application No. 09/882,308 is being facsimile transmitted to the Patent and Trademark Office on the date shown below:

CHRISTOPHER W. BRODY

Type or print name of person signing certification

Signature

Date: January 7, 2004

If you have not received the total number of pages, please call the facsimile department at (202) 835-1111. *Thank you.*

IMPORTANT - This message is intended solely to be used by the individual or entity to which it is addressed. It may contain information which is privileged, confidential and otherwise exempt by law from disclosure. If the reader of this message is not the intended recipient, or an employee or agent responsible for delivering this message to its intended recipient, you are herewith notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us by telephone immediately and return this communication to us at the above address via the United States Postal Service. *Thank you.*

Docket No. 11016-0015

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Hoummady

Serial No.: 09/882,308

Publication No. US 2002/0121529 A1

Filed: June 15, 2001

: Examiner: Soderquist, Arlen

: Art Unit: 1743

For: High Performance System for the Parallel and Selective Dispensing of Micro-Droplets, Transportable Cartridge as well as Dispensing Kit, and Applications of Such System


LETTER TO THE DRAFTSPERSON

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313

Sir:

In response to the Office Action dated, October 7, 2004, Applicant is submitting three sheets of corrected drawings, with revisions being done to Figure 13a, Figure 15, and the addition of new Figure 18 for approval by the Examiner. Entry is respectfully requested.

Respectfully submitted,
Clark & Brody



Christopher W. Brody
Registration No. 33,613

1750 K Street N.W. Suite 600
Washington DC 20006
(202) 835-1753 CWB:
Date: January 7, 2004